

TSM34C-6CG

NEMA 34 StepSERVO Integrated Motor w/ CANopen and Q Programming



Product Features

- StepSERVO technology featuring space vector current control
- Peak torques for greater acceleration and throughput
- Higher efficiency, lower power consumption than open loop steppers
- Hi-resolution 20,000 count encoder for closed-loop control
- NEMA 34 frame size
- CANopen Protocol – CiA 301 and 402 standards
- Network speeds up to 1 Mbps
- Dual CAN connectors for easy networking
- RS-232 port for configuration



- StepSERVO technology featuring space vector current control
- Peak torques for greater acceleration and throughput
- Higher efficiency, lower power consumption than open loop steppers
- Hi-resolution 20,000 count encoder for closed-loop control
- NEMA 34 frame size
- CANopen Protocol – CiA 301 and 402 standards
- Network speeds up to 1 Mbps
- Dual CAN connectors for easy networking
- RS-232 port for configuration

Description

Specifications

Torque Curves

Software

The TSM34C-6CG StepSERVO integrated motor is a drive+motor unit, fusing a NEMA 34 step motor and a servo drive into a single device. Power to the drive, located at the rear of the motor, must be supplied by an external DC supply. See Related and Recommended Products below for compatible 24 and 70 volt DC [power supplies](#).

StepSERVO technology combines the high torque capabilities of a step motor with the closed loop dynamic control of a servo system. The result is a highly customizable all-in-one motion

control solution that operates quietly and efficiently, requiring only the minimum amount of current to maintain commanded position and velocity. Boost (or peak) torque that is higher than the rated holding torque increases the limits of acceleration, leading to faster cycle times. With software selectable servo loops that have been pre-tuned for various inertial loads, the TSM StepSERVO can be applied in systems where a traditional stepper would not be capable of achieving the high accuracy required.

The TSM34C-6CG StepSERVO integrated motor is specifically designed to operate on a CANopen communication network and conforms to CAN in Automation (CiA) 301 and 402 specifications. It supports Profile Position, Profile Velocity, and Homing modes, as well as the ability to run stored Q programs via Applied Motion-specific CANopen objects. All TSM34 units are set up, configured and tuned using Applied Motion's [Step-Servo Quick Tuner](#) software with built in Q Programmer.

Each TSM34 integrated motor comes with 8 digital inputs, 4 digital outputs, and 1 analog input. The digital inputs accept signals of 5-24 VDC and can be used for connecting end-of-travel limit switches, PLC outputs, sensors, or many other signal types. The digital outputs can be connected to PLC inputs, counters, lights, relays, or other devices. The analog input accepts 0-5 VDC signals and can be used as an additional sensor input.

The TSM34C-6CG features two communication ports: RS-232 for configuration and CAN bus for CANopen control. An integral 5000-line (20,000 count/rev) incremental encoder is housed inside the same enclosure as the drive electronics and used for closed-loop servo control to attain highly accurate position and velocity control. Encoder counts can be accessed over the CANopen network or from within a Q program using data registers.

What's in the Box?

- TSM34C-6CG integrated motor
- Mating power connector (4-pin)
- 3004-311-1M CANopen cable (for details see Accessories below)
- 3004-313-1M RS-485/CANopen cable (for details see Accessories below)
- 3004-317 programming cable
- 3004-308-2M or 3004-318-2M I/O cable (for details see Accessories below)
- Screwdriver
- Quick Setup Guide (also available in Downloads)

NOT included:

- DC power supply (required), see Power Supplies below
- Regen clamp (optional), see Accessories below
- Additional accessories available below

Archived:

Not Archived

Series:

- [CANopen Products](#)
- [NEMA 34 StepSERVO Integrated Motors](#)
- [StepSERVO Integrated Motors](#)

Products in the Series *NEMA 34 StepSERVO Integrated Motors*

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque	Communication Ports	Encoder Feedback	1pc.
TSM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$585.00
TSM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$644.00
TSM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$720.00
TSM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$805.00
TSM34Q-1AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-232	Yes	\$551.00
TSM34Q-1DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	382	Ethernet	Yes	\$619.00
TSM34Q-1RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-485	Yes	\$568.00
TSM34Q-3AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-232	Yes	\$610.00
TSM34Q-3DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	736	Ethernet	Yes	\$678.00
TSM34Q-3RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-485	Yes	\$627.00
TSM34Q-5AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-232	Yes	\$686.00
TSM34Q-5DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	949	Ethernet	Yes	\$754.00
TSM34Q-5RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-485	Yes	\$703.00
TSM34Q-6AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-232	Yes	\$771.00
TSM34Q-6DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	1161	Ethernet	Yes	\$838.00
TSM34Q-6RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-485	Yes	\$788.00
TXM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$992.00
TXM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$1051.00
TXM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$1127.00
TXM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$1212.00

TXM34Q-0CCG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$1212.00
TXM34Q-1AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-232	Yes	\$896.00
TXM34Q-1DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	382	Ethernet	Yes	\$1026.00
TXM34Q-1RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-485	Yes	\$975.00
TXM34Q-3AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-232	Yes	\$955.00
TXM34Q-3DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	736	Ethernet	Yes	\$1085.00
TXM34Q-3RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-485	Yes	\$1034.00
TXM34Q-5AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-232	Yes	\$1031.00
TXM34Q-5DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	949	Ethernet	Yes	\$1161.00
TXM34Q-5RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-485	Yes	\$1110.00
TXM34Q-6AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-232	Yes	\$1116.00
TXM34Q-6DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	1161	Ethernet	Yes	\$1246.00
TXM34Q-6RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-485	Yes	\$1195.00

Products in the Series *StepSERVO Integrated Motors*

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque	Communication Ports	Encoder Feedback	1pc.
SSM23IP-2EG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	142	Ethernet, EtherNet/IP	Yes	\$575.00
SSM23IP-3EG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	212	Ethernet, EtherNet/IP	Yes	\$585.00
SSM23IP-4EG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	340	Ethernet, EtherNet/IP	Yes	\$595.00
TSM11Q-1RM	NEMA 11	15-30 VDC	Step & Direction, Streaming Commands, Encoder Following, Q Programming, Velocity Control, Modbus RTU	9.2	RS-485	Yes	\$257.00
TSM11Q-2RM	NEMA 11	15-30 VDC	Step & Direction, Streaming Commands, Encoder Following, Q Programming, Velocity Control, Modbus RTU	11.3	RS-485	Yes	\$264.00
TSM11Q-3RM	NEMA 11	15-30 VDC	Step & Direction, Streaming Commands, Encoder Following, Q Programming, Velocity Control, Modbus RTU	17.7	RS-485	Yes	\$271.00
TSM17C-1CG	NEMA 17	12-48 VDC	Q Programming, CANopen	40	CANopen	Yes	\$547.00
TSM17C-2CG	NEMA 17	12-48 VDC	Q Programming, CANopen	59	CANopen	Yes	\$551.00
TSM17C-3CG	NEMA 17	12-48 VDC	Q Programming, CANopen	73	CANopen	Yes	\$554.00
TSM17P-1AG	NEMA 17	12-48 VDC	Step & Direction, Encoder Following	40	RS-232	Yes	\$378.00
TSM17P-2AG	NEMA 17	12-48 VDC	Step & Direction, Encoder Following	59	RS-232	Yes	\$380.00
TSM17P-3AG	NEMA 17	12-48 VDC	Step & Direction, Encoder Following	73	RS-232	Yes	\$383.00
TSM17Q-1AG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	40	RS-232	Yes	\$412.00
TSM17Q-1RG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	40	RS-485	Yes	\$418.00
TSM17Q-2AG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	59	RS-232	Yes	\$415.00
TSM17Q-2RG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	59	RS-485	Yes	\$421.00
TSM17Q-3AG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	73	RS-232	Yes	\$418.00
TSM17Q-3RG	NEMA 17	12-48 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	73	RS-485	Yes	\$424.00
TSM23C-2CG	NEMA 23	12-70 VDC	Q Programming, CANopen	142	CANopen	Yes	\$562.00
TSM23C-3CG	NEMA 23	12-70 VDC	Q Programming, CANopen	212	CANopen	Yes	\$576.00
TSM23C-4CG	NEMA 23	12-70 VDC	Q Programming, CANopen	340	CANopen	Yes	\$631.00
TSM23P-2AG	NEMA 23	12-70 VDC	Step & Direction, Encoder Following	142	RS-232	Yes	\$392.00
TSM23P-3AG	NEMA 23	12-70 VDC	Step & Direction, Encoder Following	212	RS-232	Yes	\$403.00
TSM23P-4AG	NEMA 23	12-70 VDC	Step & Direction, Encoder Following	340	RS-232	Yes	\$445.00
TSM23Q-2AG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning,	142	RS-232	Yes	\$507.00

TSM23Q-2RG	NEMA 23	12-70 VDC	Encoder Following, Q Programming, Velocity Control, Modbus RTU	142	RS-485	Yes	\$551.00
TSM23Q-2RG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	142	RS-485	Yes	\$514.00
TSM23Q-3AG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	212	RS-232	Yes	\$521.00
TSM23Q-3RG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	212	RS-485	Yes	\$529.00
TSM23Q-4AG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	340	RS-232	Yes	\$576.00
TSM23Q-4RG	NEMA 23	12-70 VDC	Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	340	NA	Yes	\$584.00
TSM23S-2AG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	142	RS-232	Yes	\$427.00
TSM23S-2RG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	142	RS-485	Yes	\$433.00
TSM23S-3AG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	212	RS-232	Yes	\$439.00
TSM23S-3RG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	212	RS-485	Yes	\$446.00
TSM23S-4AG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	340	RS-232	Yes	\$485.00
TSM23S-4RG	NEMA 23	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	340	RS-485	Yes	\$491.00
TSM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$585.00
TSM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$644.00
TSM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$720.00
TSM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$805.00
TSM34Q-1AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-232	Yes	\$551.00
TSM34Q-1DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	382	Ethernet	Yes	\$619.00
TSM34Q-1RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-485	Yes	\$568.00
TSM34Q-3AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-232	Yes	\$610.00
TSM34Q-3DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	736	Ethernet	Yes	\$678.00
TSM34Q-3RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder	736	RS-485	Yes	\$627.00

			Following, Q Programming, Velocity Control, Modbus RTU				
TSM34Q-5AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-232	Yes	\$686.00
TSM34Q-5DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	949	Ethernet	Yes	\$754.00
TSM34Q-5RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-485	Yes	\$703.00
TSM34Q-6AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-232	Yes	\$771.00
TSM34Q-6DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	1161	Ethernet	Yes	\$838.00
TSM34Q-6RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-485	Yes	\$788.00
TXM24C-1CG	NEMA 24	12-70 VDC	Q Programming, CANopen	116	CANopen	Yes	\$824.00
TXM24C-3CG	NEMA 24	12-70 VDC	Q Programming, CANopen	340	CANopen	Yes	\$868.00
TXM24IP-1EG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	116	Ethernet, EtherNet/IP	Yes	\$854.00
TXM24IP-3EG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP, Velocity Control	340	Ethernet, EtherNet/IP	Yes	\$898.00
TXM24Q-1AG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	116	RS-232	Yes	\$763.00
TXM24Q-1EG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	116	Ethernet	Yes	\$785.00
TXM24Q-1RG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	116	RS-485	Yes	\$774.00
TXM24Q-3AG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	340	RS-232	Yes	\$807.00
TXM24Q-3EG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	340	Ethernet	Yes	\$829.00
TXM24Q-3RG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	340	RS-485	Yes	\$818.00
TXM24S-1AG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	116	RS-232	Yes	\$636.00
			Step & Direction, Analog Torque /				

TXM24S-1EG	NEMA 24	12-70 VDC	Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	116	Ethernet	Yes	\$658.00
TXM24S-1RG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	116	RS-485	Yes	\$647.00
TXM24S-3AG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	340	RS-232	Yes	\$672.00
TXM24S-3EG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	340	Ethernet	Yes	\$694.00
TXM24S-3RG	NEMA 24	12-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Velocity Control	340	RS-485	Yes	\$683.00
TXM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$992.00
TXM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$1051.00
TXM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$1127.00
TXM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$1212.00
TXM34Q-1AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-232	Yes	\$896.00
TXM34Q-1DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	382	Ethernet	Yes	\$1026.00
TXM34Q-1RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	382	RS-485	Yes	\$975.00
TXM34Q-3AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-232	Yes	\$955.00
TXM34Q-3DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	736	Ethernet	Yes	\$1085.00
TXM34Q-3RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	736	RS-485	Yes	\$1034.00
TXM34Q-5AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-232	Yes	\$1031.00
TXM34Q-5DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	949	Ethernet	Yes	\$1161.00
TXM34Q-5RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	949	RS-485	Yes	\$1110.00
TXM34Q-6AG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-232	Yes	\$1116.00
TXM34Q-6DG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus TCP	1161	Ethernet	Yes	\$1246.00

TXM34Q-6RG	NEMA 34	24-70 VDC	Step & Direction, Analog Torque / Velocity, Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Velocity Control, Modbus RTU	1161	RS-485	Yes	\$1195.00
----------------------------	---------	-----------	--	------	--------	-----	-----------

Products in the Series *CANopen Products*

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque	Communication Ports	Encoder Feedback	1pc.
5000-136	NA	24-48 VDC	CANopen	NA	RS-232, CANopen	No	\$541.00
5000-137	NA	24-48 VDC	CANopen	NA	RS-232, CANopen	Yes	\$585.00
5000-146	NA	24-80 VDC	CANopen	NA	RS-232, CANopen	No	\$631.00
5000-147	NA	24-80 VDC	CANopen	NA	RS-232, CANopen	Yes	\$682.00
5000-152	NA	94-135 VAC	CANopen	NA	RS-232, CANopen	Yes	\$1107.00
5000-153	NA	94-265 VAC	CANopen	NA	RS-232, CANopen	Yes	\$1212.00
5000-160	NA	24-80 VDC	CANopen	NA	RS-232, CANopen	NA	\$585.00
STM17C-3CE	NEMA 17	12-48 VDC	CANopen	68	RS-232, CANopen	Yes	\$470.00
STM17C-3CN	NEMA 17	12-48 VDC	CANopen	68	RS-232, CANopen	No	\$395.00
STM23C-3CE	NEMA 23	12-70 VDC	CANopen	210	RS-232, CANopen	Yes	\$535.00
STM23C-3CN	NEMA 23	12-70 VDC	CANopen	210	RS-232, CANopen	No	\$460.00
STM24C-3CE	NEMA 24	12-70 VDC	CANopen	340	RS-232, CANopen	Yes	\$663.00
STM24C-3CN	NEMA 24	12-70 VDC	CANopen	340	RS-232, CANopen	No	\$588.00
SV2A3-C-CE	NA	78-139 VAC	CANopen	NA	CANopen	NA	\$535.00
SV2A5-C-CE	NA	78-139 VAC	CANopen	NA	CANopen	NA	\$665.00
SV2B3-C-CE	NA	156-264 VAC	CANopen	NA	CANopen	NA	\$535.00
SV2B5-C-CE	NA	156-264 VAC	CANopen	NA	CANopen	NA	\$665.00
TSM17C-1CG	NEMA 17	12-48 VDC	Q Programming, CANopen	40	CANopen	Yes	\$547.00
TSM17C-2CG	NEMA 17	12-48 VDC	Q Programming, CANopen	59	CANopen	Yes	\$551.00
TSM17C-3CG	NEMA 17	12-48 VDC	Q Programming, CANopen	73	CANopen	Yes	\$554.00
TSM23C-2CG	NEMA 23	12-70 VDC	Q Programming, CANopen	142	CANopen	Yes	\$562.00
TSM23C-3CG	NEMA 23	12-70 VDC	Q Programming, CANopen	212	CANopen	Yes	\$576.00
TSM23C-4CG	NEMA 23	12-70 VDC	Q Programming, CANopen	340	CANopen	Yes	\$631.00
TSM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$585.00
TSM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$644.00
TSM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$720.00
TSM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$805.00
TXM24C-1CG	NEMA 24	12-70 VDC	Q Programming, CANopen	116	CANopen	Yes	\$824.00
TXM24C-3CG	NEMA 24	12-70 VDC	Q Programming, CANopen	340	CANopen	Yes	\$868.00
TXM34C-1CG	NEMA 34	24-70 VDC	Q Programming, CANopen	382	CANopen	Yes	\$992.00
TXM34C-3CG	NEMA 34	24-70 VDC	Q Programming, CANopen	736	CANopen	Yes	\$1051.00
TXM34C-5CG	NEMA 34	24-70 VDC	Q Programming, CANopen	949	CANopen	Yes	\$1127.00
TXM34C-6CG	NEMA 34	24-70 VDC	Q Programming, CANopen	1161	CANopen	Yes	\$1212.00