


## STM23Q-2EN

NEMA 23 Integrated Drive+Motor w/ Ethernet

1pc. - 377.00  
50pc. - 282.75



### Product Features

- *Sophisticated current control*
- *Anti-resonance*
- *Torque ripple smoothing*
- *Microstep emulation*
- *NEMA 23 frame size*
- *Q programming control mode for stand-alone operation*
- *Capable of all "S" control modes*
- *Fast 10/100 Ethernet for programming and communications*
- *UDP & TCP support*



### Description

The STM23Q-2EN integrated stepper is a drive+motor unit, fusing a NEMA 23 step motor and a sophisticated 5.0 A/phase (peak-of-sine) stepper drive into a single device. Power to the drive, located at the rear of the motor, must be supplied by an external DC supply. See Related and Recommended Products below for compatible 24 and 48 volt DC [power supplies](#).

The STM23Q-2EN integrated stepper can operate in all of the same control modes as the S option, plus the ability to run a Q program stored in non-volatile memory. Q programs are created using Applied Motion's [Q Programmer™](#) software, which provides powerful commands for motion, I/O, conditional processing, multi-tasking, math functions, and more. The STM23Q is setup and configured using Applied Motion's [ST Configurator™](#) software.

Each STM23Q integrated stepper comes with 3 digital inputs, 1 digital output, and 1 analog input. The digital inputs accept signals of 5-24 VDC and can be used for connecting pulse & direction signals, end-of-travel limit switches, jog switches, quadrature encoder signals, PLC outputs, sensors, or many other signal types. The digital output can be connected to PLC inputs, counters, lights, relays, or other devices. The analog input accepts 0-5 VDC signals and can be used for velocity and position control.












The STM23Q-2EN comes with an Ethernet port for configuration, programming and communications. The Ethernet port is fast 10/100 Mbit, and the drive supports both TCP and UDP communication protocols.

All STM23Q models are CE approved and RoHS compliant.

## Specifications

<b>Part Number:</b>	STM23Q-2EN
<b>Supply Voltage:</b>	12-70 VDC
<b>Supply Voltage Type:</b>	DC
<b>Control Modes:</b>	Streaming Commands Analog Positioning Encoder Following Q Programming
<b>Communication Ports:</b>	Ethernet
<b>Encoder Feedback:</b>	No
<b>Step Resolution:</b>	Full Half Microstepping Microstep Emulation
<b>Idle Current Reduction:</b>	0-90%
<b>Setup Method:</b>	Software setup
<b>Digital Inputs:</b>	3
<b>Digital Outputs:</b>	1
<b>Analog Inputs:</b>	1 single-ended
<b>Circuit Protection:</b>	Short circuit Over-voltage Under-voltage Over-temp
<b>Status LEDs:</b>	1 red, 1 green
<b>Frame Size:</b>	NEMA 23
<b>Holding Torque:</b>	125 oz-in
<b>Step Angle:</b>	1.8 deg
<b>Rotor Inertia:</b>	3.68E-03 oz-in-sec <sup>2</sup>
<b>Length:</b>	3.64 inches
<b>Weight:</b>	30 oz
<b>Operating Temperature Range:</b>	0 to 85 °C
<b>Ambient Temperature Range:</b>	0 to 40 °C
<b>Ambient Humidity:</b>	90% max, non-condensing
<b>Insulation Class:</b>	Class B (130 °C)



## Downloads

<b>Speed-Torque Curves:</b>	 <a href="#">STM23-speed-torque.pdf</a>
<b>Manuals:</b>	 <a href="#">STM23_Hardware_Manual_920-0021.pdf</a>  <a href="#">Host Command Reference Rev I.pdf</a>  <a href="#">STM23_24_Ethernet_Quicksetup_920-0058B.pdf</a>
<b>Datasheet:</b>	<a href="http://s3.amazonaws.com/applied-motion-pdf/STM23Q-2EN.pdf">http://s3.amazonaws.com/applied-motion-pdf/STM23Q-2EN.pdf</a>
<b>Family Datasheet:</b>	 <a href="#">STM-Datasheet-925-0009.pdf</a>
<b>2D Drawing:</b>	 <a href="#">STM23Q-2_2D_equivalent.pdf</a>  <a href="#">STM23Q-2_3D.pdf</a>
<b>3D Drawing:</b>	 <a href="#">STM23Q-2.igs</a>
<b>Application Notes:</b>	 <a href="#">APPN0021_5V-Keepalive-Circuit.pdf</a>  <a href="#">APPN0020-Maple-Systems-with-Ethernet-Drive.zip</a>  <a href="#">APPN0019_Analog-positioning-using-Q-program.zip</a>

## Torque Curves

### Torque-Speed Curves

Note: all torque curves were measured at 20,000 steps/rev.



## Software

<b>Software:</b>	<a href="#">SCL Utility</a> <a href="#">ST Configurator™</a>
<b>Sample Code:</b>	<a href="#">C_sharp_UDP_example.zip</a> <a href="#">VB6_UDP_example.zip</a> <a href="#">VB6_TCP_example.zip</a>

## Pricing

	<b>STM23Q-2EN</b> Part No. STM23Q-2EN
<b>1pc.</b>	\$377.00
<b>25pc.</b>	\$324.22
<b>50pc.</b>	\$282.75
<b>100pc.</b>	<a href="#">Contact us</a> for 100+ piece pricing.

## Products in the Series *STM23 Integrated Steppers*

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque	Communication Ports	Encoder Feedback	1pc./50pc.
<a href="#">STM23C-3CE</a>	NEMA 23	12-70 VDC	CANopen	210	RS-232, CANopen	Yes	\$535.00 / \$401.25
<a href="#">STM23C-3CN</a>	NEMA 23	12-70 VDC	CANopen	210	RS-232, CANopen	No	\$460.00 / \$345.00
<a href="#">STM23IP-2EE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	125	Ethernet, EtherNet/IP	Yes	\$525.00 / \$393.75
<a href="#">STM23IP-2EN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	125	Ethernet, EtherNet/IP	No	\$450.00 / \$337.50
<a href="#">STM23IP-3EE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	210	Ethernet, EtherNet/IP	Yes	\$535.00 / \$401.25
<a href="#">STM23IP-3EN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	210	Ethernet, EtherNet/IP	No	\$460.00 / \$345.00
<a href="#">STM23Q-2AE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	125	RS-232	Yes	\$440.00 / \$330.00
<a href="#">STM23Q-2AN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	125	RS-232	No	\$365.00 / \$273.75
<a href="#">STM23Q-2EE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	125	Ethernet	Yes	\$452.00 / \$339.00
<a href="#">STM23Q-2EN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	125	Ethernet	No	\$377.00 / \$282.75
<a href="#">STM23Q-2RE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	125	RS-485	Yes	\$447.00 / \$335.25
<a href="#">STM23Q-2RN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	125	RS-485	No	\$372.00 / \$279.00
<a href="#">STM23Q-3AE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	210	RS-232	Yes	\$456.00 / \$342.00
<a href="#">STM23Q-3AN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, SiNet Hub Compatible, Modbus	210	RS-232	No	\$381.00 / \$285.75
<a href="#">STM23Q-3EE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	210	Ethernet	Yes	\$468.00 / \$351.00
<a href="#">STM23Q-3EN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	210	Ethernet	No	\$393.00 / \$294.75
<a href="#">STM23Q-3RE</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	210	RS-485	Yes	\$463.00 / \$347.25
<a href="#">STM23Q-3RN</a>	NEMA 23	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, Modbus	210	RS-485	No	\$388.00 / \$291.00
<a href="#">STM23R-2ND</a>	NEMA 23	12-70 VDC	Step & Direction	125	NA	No	\$172.00 / \$172.00
<a href="#">STM23R-2NE</a>	NEMA 23	12-70 VDC	Step & Direction	125	NA	Yes	\$219.00 / \$219.00
<a href="#">STM23R-2NN</a>	NEMA 23	12-70 VDC	Step & Direction	125	NA	No	\$172.00 / \$172.00
<a href="#">STM23R-3ND</a>	NEMA 23	12-70 VDC	Step & Direction	210	NA	No	\$189.00 / \$189.00
<a href="#">STM23R-3NE</a>	NEMA 23	12-70 VDC	Step & Direction	210	NA	Yes	\$230.00 / \$230.00
<a href="#">STM23R-3NN</a>	NEMA 23	12-70 VDC	Step & Direction	210	NA	No	\$189.00 / \$189.00
<a href="#">STM23S-2AE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	125	RS-232	Yes	\$350.00 / \$262.50

<a href="#">STM23S-2AN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	125	RS-232	No	\$275.00 / \$206.25
<a href="#">STM23S-2EE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	125	Ethernet	Yes	\$362.00 / \$271.50
<a href="#">STM23S-2EN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	125	Ethernet	No	\$287.00 / \$215.25
<a href="#">STM23S-2RE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	125	RS-485	Yes	\$357.00 / \$267.75
<a href="#">STM23S-2RN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	125	RS-485	No	\$282.00 / \$211.50
<a href="#">STM23S-3AE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	210	RS-232	Yes	\$366.00 / \$274.50
<a href="#">STM23S-3AN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands, SiNet Hub Compatible	210	RS-232	No	\$291.00 / \$218.25
<a href="#">STM23S-3EE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	210	Ethernet	Yes	\$378.00 / \$283.50
<a href="#">STM23S-3EN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	210	Ethernet	No	\$303.00 / \$227.25
<a href="#">STM23S-3RE</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	210	RS-485	Yes	\$373.00 / \$279.75
<a href="#">STM23S-3RN</a>	NEMA 23	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	210	RS-485	No	\$298.00 / \$223.50
<a href="#">STM24IP-3EE</a>	NEMA 24	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	340	Ethernet, EtherNet/IP	Yes	\$626.00 / \$469.50
<a href="#">STM24IP-3EN</a>	NEMA 24	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming, EtherNet/IP	340	Ethernet, EtherNet/IP	No	\$551.00 / \$413.25
<a href="#">STM24Q-3EE</a>	NEMA 24	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	340	Ethernet	Yes	\$576.00 / \$432.00
<a href="#">STM24Q-3EN</a>	NEMA 24	12-70 VDC	Streaming Commands, Analog Positioning, Encoder Following, Q Programming	340	Ethernet	No	\$501.00 / \$375.75
<a href="#">STM24S-3EE</a>	NEMA 24	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	340	Ethernet	Yes	\$486.00 / \$364.50
<a href="#">STM24S-3EN</a>	NEMA 24	12-70 VDC	Step & Direction, Velocity (Oscillator), Streaming Commands	340	Ethernet	No	\$411.00 / \$308.25