

## TSM17P-3AG

NEMA 17 Integrated Step Servo Motor w/ Pulse & Direction Control

1pc. - \$358.00  
50pc. - \$268.50



### Product Features

- Step servo technology featuring space vector current control
- NEMA 17 frame size
- Step & Direction, A/B Quadrature and CW/CCW control modes
- "Boost" torque of 25-50% higher than holding torque
- RS-232 port for configuration and servo tuning
- Built-in 20,000 count/rev encoder for closed-loop control



### Description

The TSM17P-3AG integrated step servo is a drive+motor unit, fusing a NEMA 17 step motor and a servo drive into a single device. Power to the drive, located at the rear of the motor, must be supplied by an external DC supply. See Related and Recommended Products below for compatible 24 and 48 volt DC [power supplies](#).

Step Servo technology combines the high torque capabilities of a step motor with the closed loop dynamic control of a servo system. The result is a highly customizable motion control solution that operates quietly and efficiently, requiring only the minimum amount of current to maintain commanded position and velocity. Boost torque of 25-50% higher than the rated holding torque that is available from this integrated Step Servo motor increases the limits of acceleration, leading to faster cycle times. With software selectable servo loops that have been pre-tuned for various inertial loads, the TSM step servo can be applied in systems where a traditional stepper would not be capable of achieving the high accuracy required.

The TSM17P-3AG integrated step servo comes with 4 digital inputs and 3 digital outputs and is designed for step & direction control from an external controller. The external controller can be a motion controller, PLC, or other device that provides two digital outputs: one output for digital pulses to control position and velocity of the motor, and a second output to control the direction of the motor, CW and CCW. An additional control mode, known as Encoder Following or A/B Quadrature, can also be used to control this motor. The third and fourth digital inputs may be used for servo enable and alarm reset functions respectively. The digital inputs accept signals of 5-24 VDC and are used for connecting pulse & direction signals or quadrature encoder signals, as well as PLC outputs, sensors, or relays. The digital outputs can be connected to PLC inputs, counters, lights, relays, or other devices.

The TSM17P-3AG comes with an RS-232 port for configuration and servo loop tuning with Applied Motion's Step Servo Quick Tuner software. An integral 5000-line (20,000 count/rev) incremental encoder is housed inside the same enclosure as the drive electronics and used for closed-loop servo control to attain highly accurate position and velocity control. These differential encoder signals (A,B,Z channels) can be accessed directly from the I/O connector pins for use with a 3rd party multi-axis controller.

## Specifications

<b>Part Number</b>	TSM17P-3AG
<b>Supply Voltage</b>	12-48 VDC
<b>Supply Voltage Type</b>	DC
<b>Control Modes</b>	<ul style="list-style-type: none"> <li>• Step &amp; Direction</li> <li>• Encoder Following</li> </ul>
<b>Communication Ports</b>	<ul style="list-style-type: none"> <li>• RS-232</li> </ul>
<b>Encoder Feedback</b>	Yes
<b>Step Resolution</b>	<ul style="list-style-type: none"> <li>• Microstepping</li> </ul>
<b>Idle Current Reduction</b>	Based on Torque demand
<b>Setup Method</b>	Software setup
<b>Digital Inputs</b>	4
<b>Digital Outputs</b>	3
<b>Analog Inputs</b>	NA
<b>Circuit Protection</b>	<ul style="list-style-type: none"> <li>• Short circuit</li> <li>• Over-voltage</li> <li>• Under-voltage</li> <li>• Over-temp</li> </ul>
<b>Status LEDs</b>	1 red, 1 green
<b>Frame Size</b>	NEMA 17
<b>Holding Torque</b>	73 oz-in
<b>Step Angle</b>	1.8 deg
<b>Rotor Inertia</b>	1.16E-03 oz-in-sec <sup>2</sup>
<b>Length</b>	3.28 inches
<b>Weight</b>	15.5 oz
<b>Operating Temperature Range</b>	0-85 °C
<b>Ambient Temperature Range</b>	0-40 °C
<b>Ambient Humidity</b>	90% max, non-condensing
<b>Insulation Class</b>	Class B (130 °C)
<b>Maximum Radial Load</b>	10 lbs
<b>Maximum Thrust Load</b>	Less than 1 lbs
<b>Shaft Run Out</b>	NA
<b>Radial Play</b>	NA
<b>End Play</b>	NA
<b>Perpendicularity</b>	NA

Concentricity NA

## Software

### Software Downloads





- [SCL Utility](#)
- [Step Servo Quick Tuner](#)

### Sample Code

-  [scldemo.zip](#)

## Downloads

### Manuals

-  [TSM17P Hardware Manual-EN-AMP10.16\\_920-0086A.pdf](#)
-  [TSM17P Quick Set-up guide-EN-AMP10.14\\_920-0079A.pdf](#)
-  [Host Command Reference Rev I.pdf](#)
-  [ModbusManual\\_920-0072E.pdf](#)

### Datasheet

No datasheets available for this product.

### 2D Drawing

-  [TSM17P-3AG\\_RevA.pdf](#)

### 3D Drawing

-  [TSM17P-3AG.igs](#)




### Speed-Torque Curves

There are currently no Speed-Torque Curves documents available for this product.

### Agency Approvals

There are no related agency approval documents at this time.

### Application Notes

-  [APPN0018\\_EZ-Series-Touchpanel-HMI.zip](#)
-  [APPN0019\\_Analog-positioning-using-Q-program.zip](#)
-  [APPN0034\\_ModbusRTU from Proface HMI with Q\\_0.zip](#)

## Pricing

<b>TSM17P-3AG</b>	
Part No. TSM17P-3AG	
<b>1pc.</b>	\$358.00
<b>25pc.</b>	\$307.88
<b>50pc.</b>	\$268.50
<b>100pc.</b>	<a href="#">Contact us</a> for 100+ piece pricing.

## Products in the Series *Integrated Step Servo Products*

\* Closeout priced products are highlighted in green.

\* Items with web only pricing are highlighted in yellow.

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque (oz-in)	Communication Ports	Encoder Feedback	1pc./50pc.
<a href="#">TSM17C-1CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	40	CANopen	Yes	\$517.00 / \$387.75
<a href="#">TSM17C-2CC</a>	NEMA 17	12-48 VDC	Q Programming	50	CANopen	Yes	\$521.00 /

<a href="#">TSM17C-2CG</a>	NEMA 17	12-48 VDC	CANopen	59	CANopen	Yes	\$390.75
<a href="#">TSM17C-3CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	73	CANopen	Yes	\$524.00 / \$393.00
<a href="#">TSM17P-1AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	40	RS-232	Yes	\$353.00 / \$264.75
<a href="#">TSM17P-2AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	59	RS-232	Yes	\$355.00 / \$266.25
<a href="#">TSM17P-3AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	73	RS-232	Yes	\$358.00 / \$268.50
<a href="#">TSM17Q-1AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-232	Yes	\$382.00 / \$286.50
<a href="#">TSM17Q-1RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-485	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-2AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-232	Yes	\$385.00 / \$288.75
<a href="#">TSM17Q-2RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-485	Yes	\$391.00 / \$293.25
<a href="#">TSM17Q-3AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-232	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-3RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-485	Yes	\$394.00 / \$295.50
<a href="#">TSM23C-2CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	142	CANopen	Yes	\$532.00 / \$399.00
<a href="#">TSM23C-3CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	212	CANopen	Yes	\$546.00 / \$409.50
<a href="#">TSM23C-4CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	340	CANopen	Yes	\$601.00 / \$450.75
<a href="#">TSM23P-2AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	142	RS-232	Yes	\$367.00 / \$275.25
<a href="#">TSM23P-3AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	212	RS-232	Yes	\$378.00 / \$283.50
<a href="#">TSM23P-4AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	340	RS-232	Yes	\$420.00 / \$315.00
<a href="#">TSM23Q-2AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-232	Yes	\$477.00 / \$357.75
<a href="#">TSM23Q-2RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-485	Yes	\$484.00 / \$363.00
<a href="#">TSM23Q-3AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control	212	RS-232	Yes	\$491.00 / \$368.25

Modbus							
<a href="#">TSM23Q-3RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	212	RS-485	Yes	\$499.00 / \$374.25
<a href="#">TSM23Q-4AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-232	Yes	\$546.00 / \$409.50
<a href="#">TSM23Q-4RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-485	Yes	\$554.00 / \$415.50

## Products in the Series *Modbus Products*

\* Closeout priced products are highlighted in green.

\* Items with web only pricing are highlighted in yellow.

Part Number	Frame Size	Supply Voltage	Control Modes	Holding Torque (oz-in)	Communication Ports	Encoder Feedback	1pc./50pc.
<a href="#">5000-128</a>	NA	24-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	NA	RS-232	No	\$467.00 / \$350.25
<a href="#">5000-130</a>	NA	24-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	NA	RS-232	Yes	\$540.00 / \$405.00
<a href="#">5000-132</a>	NA	24-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	NA	RS-232 RS-485	No	\$570.00 / \$427.50
<a href="#">5000-134</a>	NA	24-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	NA	RS-232 RS-485	Yes	\$625.00 / \$468.75
<a href="#">5000-138</a>	NA	24-80 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	NA	RS-232	No	\$515.00 / \$386.25
<a href="#">5000-140</a>	NA	24-80 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	NA	RS-232	Yes	\$580.00 / \$435.00
<a href="#">5000-142</a>	NA	24-80 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming	NA	RS-232 RS-485	No	\$630.00 / \$472.50

			Modbus				
<a href="#">5000-144</a>	NA	24-80 VDC	Step & Direction Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	NA	RS-232 RS-485	Yes	\$690.00 / \$517.50
<a href="#">STM17Q-1AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-232	Yes	\$391.00 / \$293.25
<a href="#">STM17Q-1AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-232	No	\$290.00 / \$217.50
<a href="#">STM17Q-1RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-485	Yes	\$403.00 / \$302.25
<a href="#">STM17Q-2AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-232	Yes	\$403.00 / \$302.25
<a href="#">STM17Q-2AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-232	No	\$299.00 / \$224.25
<a href="#">STM17Q-2RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-485	Yes	\$415.00 / \$311.25
<a href="#">STM17Q-2RN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-485	No	\$311.00 / \$233.25
<a href="#">STM17Q-3AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-232	Yes	\$420.00 / \$315.00
<a href="#">STM17Q-3AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-232	No	\$314.00 / \$235.50
<a href="#">STM17Q-3RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-485	Yes	\$432.00 / \$324.00
<a href="#">STM17Q-3RN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-485	No	\$326.00 / \$244.50
<a href="#">STM23Q-2AE</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	125	RS-232	Yes	\$571.00 / \$428.25
<a href="#">STM23Q-2AN</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	125	RS-232	No	\$422.00 / \$316.50
<a href="#">STM23Q-2RE</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	125	RS-485	Yes	\$603.00 / \$452.25
<a href="#">STM23Q-2RN</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	125	RS-485	No	\$486.00 / \$364.50

<a href="#">STM23Q-3AE</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	210	RS-232	Yes	\$591.00 / \$443.25
<a href="#">STM23Q-3AN</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming SiNet Hub Compatible Modbus	210	RS-232	No	\$447.00 / \$335.25
<a href="#">STM23Q-3RE</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	210	RS-485	Yes	\$610.00 / \$457.50
<a href="#">STM23Q-3RN</a>	NEMA 23	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	210	RS-485	No	\$504.00 / \$378.00
<a href="#">STM24QF-3AE</a>	NEMA 24	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	340	RS-232	Yes	\$623.00 / \$467.25
<a href="#">STM24QF-3AN</a>	NEMA 24	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	340	RS-232	No	\$499.00 / \$374.25
<a href="#">STM24QF-3RE</a>	NEMA 24	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	340	RS-485	Yes	\$682.00 / \$511.50
<a href="#">STM24QF-3RN</a>	NEMA 24	12-70 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	340	RS-485	No	\$539.00 / \$404.25
<a href="#">SWM24QF-3AE</a>	NEMA 24	12-70 VDC	Step & Direction Analog Torque / Velocity Velocity (Oscillator) Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	340	RS-232	Yes	\$790.00 / \$592.50
<a href="#">TSM17C-1CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	40	CANopen	Yes	\$517.00 / \$387.75
<a href="#">TSM17C-2CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	59	CANopen	Yes	\$521.00 / \$390.75
<a href="#">TSM17C-3CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	73	CANopen	Yes	\$524.00 / \$393.00
<a href="#">TSM17P-1AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	40	RS-232	Yes	\$353.00 / \$264.75
<a href="#">TSM17P-2AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	59	RS-232	Yes	\$355.00 / \$266.25
<a href="#">TSM17P-3AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	73	RS-232	Yes	\$358.00 / \$268.50
<a href="#">TSM17Q-1AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-232	Yes	\$382.00 / \$286.50
<a href="#">TSM17Q-1RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-485	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-2AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-232	Yes	\$385.00 / \$288.75
			Analog Torque / Velocity				

<a href="#">TSM17Q-2RG</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-485	Yes	\$391.00 / \$293.25
<a href="#">TSM17Q-3AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-232	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-3RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-485	Yes	\$394.00 / \$295.50
<a href="#">TSM23C-2CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	142	CANopen	Yes	\$532.00 / \$399.00
<a href="#">TSM23C-3CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	212	CANopen	Yes	\$546.00 / \$409.50
<a href="#">TSM23C-4CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	340	CANopen	Yes	\$601.00 / \$450.75
<a href="#">TSM23P-2AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	142	RS-232	Yes	\$367.00 / \$275.25
<a href="#">TSM23P-3AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	212	RS-232	Yes	\$378.00 / \$283.50
<a href="#">TSM23P-4AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	340	RS-232	Yes	\$420.00 / \$315.00
<a href="#">TSM23Q-2AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-232	Yes	\$477.00 / \$357.75
<a href="#">TSM23Q-2RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-485	Yes	\$484.00 / \$363.00
<a href="#">TSM23Q-3AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	212	RS-232	Yes	\$491.00 / \$368.25
<a href="#">TSM23Q-3RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	212	RS-485	Yes	\$499.00 / \$374.25
<a href="#">TSM23Q-4AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-232	Yes	\$546.00 / \$409.50
<a href="#">TSM23Q-4RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-485	Yes	\$554.00 / \$415.50

## Products in the Series *STM17 Integrated Steppers*

\* Closeout priced products are highlighted in green.

\* Items with web only pricing are highlighted in yellow.

Frame

Supply

Holding

Communication

Encoder



Part Number	Frame Size	Supply Voltage	Control Modes	Torque (oz-in)	Communication Ports	Encoder Feedback	1pc./50pc.
<a href="#">STM17C-3CE</a>	NEMA 17	12-48 VDC	CANopen	68	RS-232 CANopen	Yes	\$513.00 / \$384.75
<a href="#">STM17C-3CN</a>	NEMA 17	12-48 VDC	CANopen	68	RS-232 CANopen	No	\$408.00 / \$306.00
<a href="#">STM17Q-1AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-232	Yes	\$391.00 / \$293.25
<a href="#">STM17Q-1AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-232	No	\$290.00 / \$217.50
<a href="#">STM17Q-1RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-485	Yes	\$403.00 / \$302.25
<a href="#">STM17Q-1RN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	31	RS-485	No	\$302.00 / \$226.50
<a href="#">STM17Q-2AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-232	Yes	\$403.00 / \$302.25
<a href="#">STM17Q-2AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-232	No	\$299.00 / \$224.25
<a href="#">STM17Q-2RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-485	Yes	\$415.00 / \$311.25
<a href="#">STM17Q-2RN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	54	RS-485	No	\$311.00 / \$233.25
<a href="#">STM17Q-3AE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-232	Yes	\$420.00 / \$315.00
<a href="#">STM17Q-3AN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-232	No	\$314.00 / \$235.50
<a href="#">STM17Q-3RE</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-485	Yes	\$432.00 / \$324.00
<a href="#">STM17Q-3RN</a>	NEMA 17	12-48 VDC	Streaming Commands Analog Positioning Encoder Following Q Programming Modbus	68	RS-485	No	\$326.00 / \$244.50
<a href="#">STM17R-3ND</a>	NEMA 17	12-48 VDC	Step & Direction	68	NA	No	\$118.00 / \$118.00
<a href="#">STM17R-3NE</a>	NEMA 17	12-48 VDC	Step & Direction	68	NA	Yes	\$192.00 / \$192.00
<a href="#">STM17R-3NN</a>	NEMA 17	12-48 VDC	Step & Direction	68	NA	No	\$117.00 / \$117.00
<a href="#">STM17S-1AE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	31	RS-232	Yes	\$326.00 / \$244.50
<a href="#">STM17S-1AN</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	31	RS-232	No	\$242.00 / \$181.50
<a href="#">STM17S-1RE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	31	RS-485	Yes	\$336.00 / \$252.00
			Step & Direction				\$251.00 /

<a href="#">STM17S-1RN</a>	NEMA 17	12-48 VDC	Velocity (Oscillator) Streaming Commands	31	RS-485	No	\$251.00 / \$188.25
<a href="#">STM17S-2AE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	54	RS-232	Yes	\$335.00 / \$251.25
<a href="#">STM17S-2AN</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	54	RS-232	No	\$249.00 / \$186.75
<a href="#">STM17S-2RE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	54	RS-485	Yes	\$345.00 / \$258.75
<a href="#">STM17S-2RN</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	54	RS-485	No	\$259.00 / \$194.25
<a href="#">STM17S-3AE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	68	RS-232	Yes	\$347.00 / \$260.25
<a href="#">STM17S-3AN</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	68	RS-232	No	\$260.00 / \$195.00
<a href="#">STM17S-3RE</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	68	RS-485	Yes	\$358.00 / \$268.50
<a href="#">STM17S-3RN</a>	NEMA 17	12-48 VDC	Step & Direction Velocity (Oscillator) Streaming Commands	68	RS-485	No	\$270.00 / \$202.50
<a href="#">TSM17C-1CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	40	CANopen	Yes	\$517.00 / \$387.75
<a href="#">TSM17C-2CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	59	CANopen	Yes	\$521.00 / \$390.75
<a href="#">TSM17C-3CG</a>	NEMA 17	12-48 VDC	Q Programming CANopen	73	CANopen	Yes	\$524.00 / \$393.00
<a href="#">TSM17P-1AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	40	RS-232	Yes	\$353.00 / \$264.75
<a href="#">TSM17P-2AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	59	RS-232	Yes	\$355.00 / \$266.25
<a href="#">TSM17P-3AG</a>	NEMA 17	12-48 VDC	Step & Direction Encoder Following	73	RS-232	Yes	\$358.00 / \$268.50
<a href="#">TSM17Q-1AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-232	Yes	\$382.00 / \$286.50
<a href="#">TSM17Q-1RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	40	RS-485	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-2AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-232	Yes	\$385.00 / \$288.75
<a href="#">TSM17Q-2RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	59	RS-485	Yes	\$391.00 / \$293.25
<a href="#">TSM17Q-3AG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-232	Yes	\$388.00 / \$291.00
<a href="#">TSM17Q-3RG</a>	NEMA 17	12-48 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	73	RS-485	Yes	\$394.00 / \$295.50
<a href="#">TSM23C-2CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	142	CANopen	Yes	\$532.00 / \$399.00

<a href="#">TSM23C-3CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	212	CANopen	Yes	\$546.00 / \$409.50
<a href="#">TSM23C-4CG</a>	NEMA 23	12-70 VDC	Q Programming CANopen	340	CANopen	Yes	\$601.00 / \$450.75
<a href="#">TSM23P-2AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	142	RS-232	Yes	\$367.00 / \$275.25
<a href="#">TSM23P-3AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	212	RS-232	Yes	\$378.00 / \$283.50
<a href="#">TSM23P-4AG</a>	NEMA 23	12-70 VDC	Step & Direction Encoder Following	340	RS-232	Yes	\$420.00 / \$315.00
<a href="#">TSM23Q-2AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-232	Yes	\$477.00 / \$357.75
<a href="#">TSM23Q-2RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	142	RS-485	Yes	\$484.00 / \$363.00
<a href="#">TSM23Q-3AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	212	RS-232	Yes	\$491.00 / \$368.25
<a href="#">TSM23Q-3RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	212	RS-485	Yes	\$499.00 / \$374.25
<a href="#">TSM23Q-4AG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-232	Yes	\$546.00 / \$409.50
<a href="#">TSM23Q-4RG</a>	NEMA 23	12-70 VDC	Analog Torque / Velocity Streaming Commands Analog Positioning Encoder Following Q Programming Velocity Control Modbus	340	RS-485	Yes	\$554.00 / \$415.50

